

**Search Notes****Application/Control No.**

10/617,038

**Applicant(s)/Patent under Reexamination**

ANDERSEN ET AL.

**Examiner**

Rodney P. Swartz, Ph.D.

**Art Unit**

1645

**SEARCHED**

Class	Subclass	Date	Examiner
424	9.1.9.2 184.1 185.1 190.1 192.1	10/19/2005	RPS
424	234.1	10/19/2005	RPS
424	248.1	10/19/2005	RPS
435	41 69.1	10/19/2005	RPS
435	71.1	10/19/2005	RPS
530	300 350	10/19/2005	RPS
536	23.1 23.7	10/19/2005	RPS
UPDATED	ABOVE	3/29/2006	RPS
UPDATED	ABOVE	1/3/2007	RPS
updated	above	10/23/2007	RPS
updated	above	5/1/2008	RPS
updated	above	11/24/2008	RPS
updated	above	3/4/2009	RPS

**INTERFERENCE SEARCHED**

Class	Subclass	Date	Examiner

**SEARCH NOTES  
(INCLUDING SEARCH STRATEGY)**

	DATE	EXMR
biosis caba caplus embase japio lifesci medline scisearch uspatfull sequence id search	10/19/2005	RPS
updated above	3/29/2006	RPS
updated above	1/3/2007	rps
updated above	10/23/2007	RPS
updated above	5/1/2008	RPS
updated above	11/24/2008	RPS
PALM - inventor name discussed art rejection with Jean Witz, TQAS	3/4/2009	RPS